a			170
	Application No.	Applicant(s)	
Notice of Allowability	09/846,800	LYNN, CATHY A.	J
	Examiner	Art Unit	
	Frank M. Lawrence	1724	
Examiner Art Unit			
<ul> <li>(a) ☐ including changes required by the Notice of Draftspers</li> <li>1) ☐ hereto or 2) ☐ to Paper No</li> <li>(b) ☐ including changes required by the proposed drawing of the including changes required by the attached Examiner's</li> </ul>	correction filed, which	n has been approved by the Ex	xaminer.
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.			
9. DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT FOR THE	SIT OF BIOLOGICAL MATE HE DEPOSIT OF BIOLOGIC	RIAL must be submitted. N AL MATERIAL.	ote the
Attachment(s)			
<ul> <li>1⊠ Notice of References Cited (PTO-892)</li> <li>3□ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>5□ Information Disclosure Statements (PTO-1449), Paper No</li></ul>	4∏ Interview : 6∏ Examiner'	Informal Patent Application (P Summary (PTO-413), Paper N 's Amendment/Comment 's Statement of Reasons for A	10

Application/Control Number: 09/846,800

Art Unit: 1724

## **DETAILED ACTION**

## Allowable Subject Matter

- 1. Claims 1, 3, 5-8, 10-14, 19 and 20 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: Independent claims 1, 14 and 19 have been sufficiently amended to distinguish over the cited prior art. The examiner agrees with applicant's arguments in the remarks filed September 29, 2003 that the cited prior art, alone or in combination, fails to teach to suggest a motivation to use a device having all of the limitations recited in the claims. An updated search of the prior art has yielded no new prior art references that can be used to reject the amended claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## **Drawings**

3. New corrected drawings are required in this application because the filed drawings are informal. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Page 3

## Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The additional references listed on the attached PTO-892 form disclose air scenting devices.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frank M. Lawrence whose telephone number is 703-305-0585. The examiner can normally be reached on Mon-Thurs 7:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Blaine Copenheaver can be reached on 703-308-1261. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0651.

Frank M. Lawrence Primary Examiner

Art Unit 1724

fl

Frank Lawrence 11-503